

Forty years experience, leader in the production of traditional woodworking machines.

The production is managed internally, allowing to run every type of work, from the machines in series to the customized ones. The supervising of each step guarantees the good functioning of machines and all details are well cared.

D515

SIMPLICITY IS ITS STRENGTH





Simplicity is its strength: machine solid and robust, equipped with solid cast-iron supports that guarantee, also in heavy situations, the absence of vibrations for an optimal finish of the woodwork.



CENTRAL PISTON IN CAST IRON

The large cast-iron piston for lifting of the flat thickness doesn't require any maintenance. With the mechanical block on the front, it guarantees solidity and ease of use.

SANDBLASTED ROLLER OUTPUT

The sandblasted roller output ensures a perfect towing on any type of material.



SPIRAL 3 PLANER SHAFT

TERSA PLANER SHAFT

TECHNICAL DATA

D515

ON DEMAND

THICKNESSING PLANER			Increased engine
ENGINE POWER	Kw (HP)	4 (5,5)	Electromagnetic brake
MAX WIDTH / MIN HEIGHT - MAX. HELPFUL	mm	515 / 5 - 240	Rubber roller
MAX. REMOVAL	mm	6	n. 2 idle wheels on surface
ADVANCE SPEED	m/1'	7 /11 / 15 / 19	Spiral 3 planer shaft
THICKNESS PLANER DIMENSIONS	mm	515 X 970	Tersa monobloc planing shaft with reversible knives
OVERALL DIMENSIONS	mm	1300 X 900 X 1100	Automatic lifting of thickness
NET WEIGHT	Kg	600	
SOUND EMISSION ACCORDING TO ISO7960 STANDARDS - WIRE PLATE	LA eq [dB(A)]	77,5 - 86,3	
SOUND EMISSION ACCORDING TO ISO7960 STANDARDS - THICKNESS PLATE	LA eq [dB(A)]	79,3 - 89,4	
DUST EMISSION ACCORDING TO STANDARDS DIN 33893 - WIRE PLATE	mg/m3	1,655	
DUST EMISSION ACCORDING TO STANDARDS DIN 33893 - THICKNESS PLATE	mg/m3	0,66	
The Company reserves the right to make any			
changes, either technical or constructive.			



C.M.A. 2000 S.r.l.

Via Cesare Pavese, 22 - 47853 Cerasolo Ausa Coriano (RN)

Tel. e Fax: +39 0541 759315 info@cma2000srl.com commerciale@cma2000srl.com assistenza@cma2000srl.com

www.cma2000srl.com

P.IVA 03124370408









